

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Superglue slow (slow)

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Adhesives, sealants

**1.3. Details of the supplier of the safety data sheet**

Company name:	R&G Faserverbundwerkstoffe GmbH	
Street:	Im Meißel 7 - 13	
Place:	D-71111 Waldenbuch	
Post-office box:	1145	
	D-71107 Waldenbuch	
Telephone:	+49-7157-530460	Telefax: +49-7157-530470
e-mail:	info@r-g.de	
Internet:	www.r-g.de	
Responsible Department:	Management	

**1.4. Emergency telephone number:** Vergiftungs-Informationen-Zentrale Freiburg  
Tel: +49 (0)761 19240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

ethyl 2-cyanoacrylate

**Signal word:** Warning**Pictograms:****Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of Water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 2 of 9

P312 present and easy to do. Continue rinsing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 P321 Specific treatment (see Precautionary statements on this label).

**Special labelling of certain mixtures**

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

**2.3. Other hazards**

This substance does not meet the criteria for classification as PBT or vPvB.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7085-85-0	ethyl 2-cyanoacrylate			95 - <= 100 %
	230-391-5	607-236-00-9	01-2119527766-29	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol			< 0.1 %
	204-617-8	604-005-00-4	01-2119524016-51	
	Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10); H351 H341 H302 H318 H317 H400			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

**After inhalation**

Provide fresh air. In case of breathing difficulties administer oxygen. If experiencing respiratory symptoms: Call a doctor.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. Consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Call a doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Skin contact: Causes mild skin irritation. erythema (redness)

Eye contact: Conjunctival redness. Causes tears.. Potential hazards: Corneal opacity. Possible risk of irreversible effects.

After ingestion: Irritant. Nausea, Vomiting, Gastrointestinal complaints

Inhalation: Cough,

Symptoms / delayed effects: Symptoms can occur only after several hours.: not applicable

**4.3. Indication of any immediate medical attention and special treatment needed**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Superglue slow (slow)

Revision date: 16.01.2019

Product code: 150101

Page 3 of 9

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Protect from moisture.  
Suitable container/equipment material: Polyethylene (PE)

##### **Hints on joint storage**

Do not store together with: Oxidizing agents, strong. Strong acid.

#### 7.3. Specific end use(s)

Adhesives, sealants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Superglue slow (slow)

Revision date: 16.01.2019

Product code: 150101

Page 4 of 9

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	0.3	1.5		STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	WEL

### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	characteristic	
pH-Value:		not applicable
<b>Changes in the physical state</b>		
Melting point:		not determined
Initial boiling point and boiling range:		> 149 °C
Flash point:		80 - 93,4 °C
<b>Flammability</b>		
Solid:		not applicable
Gas:		not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 5 of 9

**Explosive properties**

not determined

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: 450 °C

**Auto-ignition temperature**

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not oxidising.

Vapour pressure: &lt; 700 hPa

Density: 1,05 g/cm<sup>3</sup>

Water solubility: Reacts with : Water

**Solubility in other solvents**

Soluble in: Acetone

Partition coefficient: not determined

Viscosity / dynamic:  
(at 25 °C) 1200 - 1500 mPa·s

Viscosity / kinematic: not determined

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Odour threshold: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

heat.

**10.5. Incompatible materials**

Oxidizing agents, strong. Strong acid.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Gases/vapours, toxic

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol				
	oral	LD50 mg/kg	720	Rat	Manufacturer

**Irritation and corrosivity**

Causes skin irritation.

Causes serious eye irritation.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (ethyl 2-cyanoacrylate)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Practical experience****Other observations**

Skin contact: Causes mild skin irritation. @ 1101.B11077.

Eye contact: Conjunctival redness. Causes tears.. Potential hazards: Corneal opacity. Possible risk of irreversible effects.

After ingestion: Irritant. Nausea, Vomiting, Gastrointestinal complaints

Inhalation: Cough,

Symptoms / delayed effects: Symptoms can occur only after several hours.: not applicable

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.

**12.2. Persistence and degradability**

Product is biodegradable.

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

Mobility in soil: Adsorption

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Superglue slow (slow)

Revision date: 16.01.2019

Product code: 150101

Page 7 of 9

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** UN 3334  
**14.2. UN proper shipping name:** AVIATION REGULATED LIQUID, N.O.S. (ethyl 2-cyanoacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** -  
 Classification code: M11

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 3334  
**14.2. UN proper shipping name:** AVIATION REGULATED LIQUID, N.O.S. (ethyl 2-cyanoacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** N-S  
 Classification code: M11

#### Marine transport (IMDG)

**14.1. UN number:** UN 3334  
**14.2. UN proper shipping name:** AVIATION REGULATED LIQUID, N.O.S. (ethyl 2-cyanoacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** -  
 Hazard label: 9



Special Provisions: 960  
 Limited quantity: -  
 Excepted quantity: -  
 EmS: -

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3334  
**14.2. UN proper shipping name:** AVIATION REGULATED LIQUID, N.O.S. (ethyl 2-cyanoacrylate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



Special Provisions: A27  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y964  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 964  
 IATA-max. quantity - Passenger: 450 L  
 IATA-packing instructions - Cargo: 964  
 IATA-max. quantity - Cargo: 450 L

#### 14.5. Environmental hazards

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 8 of 9

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): < 20 g/L  
 Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).  
 Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H302 Harmful if swallowed.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H341 Suspected of causing genetic defects.  
 H351 Suspected of causing cancer.  
 H400 Very toxic to aquatic life.  
 EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Superglue slow (slow)**

Revision date: 16.01.2019

Product code: 150101

Page 9 of 9

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*